





NOTE:
 TOOLS WITH A CLEAN, SHARPENED
 BLADE / EDGE SHALL BE USED TO
 CREATE CLEAN CUTS TO MINIMIZE
 DISEASE AND PROVIDE AN
 ATTRACTIVE APPEARANCE.



- ① EXISTING SIDEWALK. KEEP CLEAR PER SPECIFICATIONS AND / OR CONTRACT
- ② EXISTING CURB AND GUTTER. KEEP CLEAR PER SPECIFICATIONS AND / OR CONTRACT
- ③ EXISTING WALL / FENCE
- ④ ACCENT PLANT TYP., REFER TO ACCENT SHRUB PRUNING DETAIL IF APPLICABLE
- ⑤ TREES TYP.
- ⑥ UTILITY BOX / VAULT OR FIRE HYDRANT MAINTAIN ALL PLANT MATERIAL MIN. 12" CLEAR AT ALL TIMES UNLESS SPECIFIED OTHERWISE ON EQUIPMENT BY UTILITY PROVIDER.
- ⑦ VINES TYP.
- ⑧ SHRUB PLANTING TYP. PRUNE PLANTING 6" MIN. AND 12" MAX. FOR POP UP SPRAY IRRIGATION AND 4" MIN. AND 6" MAX. FOR DRIP IRRIGATION AWAY FROM EDGE OF SIDEWALK. SEE SHRUB / GROUNDCOVER PRUNING STANDARD DETAIL M-002.

	COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT		
	TYPICAL PRUNING MAINTENANCE		
PLAN VIEW			APPROVED BY:
STD. M-001	1/8"=1'-0"	REV:	DATE: 03-05-12

NOTE:
 TOOLS WITH A CLEAN, SHARPENED
 BLADE / EDGE SHALL BE USED TO
 CREATE CLEAN CUTS TO MINIMIZE
 DISEASE AND PROVIDE AN
 ATTRACTIVE APPEARANCE.





① EXISTING SIDEWALK. KEEP CLEAR
 PER SPECIFICATIONS AND / OR
 CONTRACT

② SHRUB PLANTING TYP.
 PRUNE PLANTING 6" MIN. AND 12" MAX.
 FOR POP UP SPRAY IRRIGATION AND
 4" MIN. AND 6" MAX. FOR DRIP
 IRRIGATION AWAY FROM EDGE OF
 SIDEWALK


③ ORGANIC BARK MULCH LAYER

④ EXISTING WALL / FENCE
 PRUNE SHRUBS ONE (1) BLOCK
 HEIGHT BELOW TOP OF WALL /
 FENCE IN WINTER SEASON, (2)
 BLOCKS HEIGHT BELOW TOP OF
 WALL / FENCE IN SUMMER SEASON



⑤ CUT SHRUB TOPS ONLY IF NEEDED
 OR TO REJUVINATE. DO NOT CUT
 SIDES OF SHRUB AT SAME TIME AS
 TOPS


	COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT		
	SHRUB / GROUNDCOVER PRUNING		
SECTION VIEW	APPROVED BY:		
STD. M-002	3/4"=1'-0"	REV:	DATE: 03-05-12

NOTE:
 TOOLS WITH A CLEAN, SHARPENED
 BLADE / EDGE SHALL BE USED TO
 CREATE CLEAN CUTS TO MINIMIZE
 DISEASE AND PROVIDE AN
 ATTRACTIVE APPEARANCE.





- ① EXISTING SIDEWALK, CURB AND GUTTER. KEEP CLEAR PER SPECIFICATIONS AND / OR CONTRACT
- ② TREES TYP.
- ③ SHRUB PLANTING TYP. PRUNE PLANTING 6" MIN. AND 12" MAX. FOR POP UP SPRAY IRRIGATION AND 4" MIN. AND 6" MAX. FOR DRIP IRRIGATION AWAY FROM EDGE OF SIDEWALK . SEE SHRUB / GROUNDCOVER PRUNING STANDARD DETAIL M-002.
- ④ ORGANIC BARK MULCH LAYER
- ⑤ VINES TYP. PRUNE VINES ONE (1) BLOCK HEIGHT BELOW TOP OF WALL / FENCE IN WINTER SEASON, (2) BLOCKS HEIGHT BELOW TOP OF WALL / FENCE IN SUMMER SEASON
- ⑥ EXISTING WALL / FENCE
- ⑦ TREE TIES AND LODGE POLES PER SPECIFICATIONS. REMOVE LODGE POLE AT DIRECTION OF COUNTY REP.


	COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT		
	TYPICAL PRUNING MAINTENANCE		
SECTION VIEW	APPROVED BY:		
STD. M-003	3/8"=1'-0"	REV:	DATE: 03-05-12



- ① DIETES SPECIES AT 24 MONTHS (2 YEARS)
- ② PRUNE HEMEROCALLIS SPECIES ONCE EVERY YEAR (LATE FALL/EARLY SPRING) TO 2" MINIMUM AND 4" MAXIMUM HEIGHT.
- ③ FINISH GRADE
- ④ ORGANIC BARK MULCH LAYER



NOTE:
 DO NOT CUT BALL / CUT FLAT
 PRUNING SHALL BE DONE LEVEL WITH FINISH GRADE. TOOLS WITH A CLEAN, SHARPENED BLADE / EDGE SHALL BE USED TO CREATE CLEAN CUTS TO MINIMIZE DISEASE AND PROVIDE AN ATTRACTIVE APPEARANCE.


	COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT		
	HEMEROCALLIS SPECIES PRUNING		
SECTION VIEW			APPROVED BY:
STD. M-004	1"=1'-0"	REV:	DATE: 03-05-12





- ① DIETES SPECIES AT 24 MONTHS (2 YEARS)
- ② PRUNE DIETES SPECIES ONCE EVERY YEAR (LATE FALL/EARLY SPRING) TO 4" MINIMUM AND 6" MAXIMUM HEIGHT.
- ③ FINISH GRADE
- ④ ORGANIC BARK MULCH LAYER

NOTE:
 DO NOT CUT BALL / CUT FLAT
 PRUNING SHALL BE DONE LEVEL
 WITH FINISH GRADE. TOOLS WITH
 A CLEAN, SHARPENED BLADE /
 EDGE SHALL BE USED TO CREATE
 CLEAN CUTS TO MINIMIZE
 DISEASE AND PROVIDE AN
 ATTRACTIVE APPEARANCE.

	COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT		
	DIETES SPECIES PRUNING		
SECTION VIEW			APPROVED BY:
STD. M-005	1"=1'-0"	REV:	DATE: 03-05-12



- ① BIO-SWALE INLET CHANNEL
CLEAR ALL DEBRIS FROM CHANNEL TO MAINTAIN A CLEAR PATH OF FLOW
- ② BIO-SWALE CHANNEL
MAINTAIN ALL VEGETATION AT 4" - 6" IN HEIGHT AND REMOVE ANY AND ALL DEBRIS
- ③ BIO-SWALE OVERFLOW INLET
KEEP INLET CLEAR AND FREE OF DEBRIS TO ENSURE AN UNOBSTRUCTED PATH OF FLOW
- ④ ADJACENT TREES AND SHRUBS
MAINTAIN PER DETAILS M-001 THROUGH M-005
- ⑤ BIOSWALE IRRIGATION (NOT SHOWN). PLANT MATERIAL IN BIOSWALES SHALL BE ZONED SEPARATE AND PLACED ON A SEPARATE IRRIGATION PROGRAM FROM OTHER PLANT MATERIAL. IRRIGATE BIOSWALES AS NEEDED, MINIMIZING IRRIGATION PRIOR, DURING AND AFTER STORM EVENTS.
- ⑥ BIO-SWALES TO BE VISITED, MAINTAINED AND INSPECTED WEEKLY, OR PER CONTRACT SPECIFICATIONS SEPARATE FROM ALL OTHER PLANT MATERIAL
- ⑦ DIRT, SEDIMENT AND DEBRIS SHALL BE REMOVED AFTER EACH STORM EVENT ALL MATERIALS REMOVED FROM BIOSWALES SHALL BE DISPOSED OF IN A LAWFUL MANNER. CONTRACTOR SHALL PROVIDE AN ESTIMATED WEIGHT OF DEBRIS.

	COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT		
	BIOSWALE MAINTENANCE		
STD. M-006	PLAN VIEW	APPROVED BY:	DATE: 03-05-12
	N.T.S.	REV:	